

PROCUREMENT, INSTALLATION, VALIDATION, COMMISSIONING, AND MAINTENANCE OF EQUIPMENT FOR TEN (10) PROVINCIAL PHARMACEUTICAL DEPOTS

BID NO.: IHPS-005-2025

DATE OF ISSUE: 29 AUGUST 2025

CLOSING DATE: 16 SEPTEMBER 2025

TIME: 12H00

**COMPULSORY BRIEFING SESSION: 04 SEPTEMBER 2025, 10H00, AND
VENUE/PLATFORM: VIRTUAL (MS TEAMS) - [Join the meeting now](#)**

INVITATION OF THE BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE INSTITUTE OF HEALTH PROGRAMS AND SYSTEMS					
BID NUMBER:	IHPS-005-2025		CLOSING DATE:	16 SEPTEMBER 2025	
			CLOSING TIME:	12H00	
DESCRIPTION	PROCUREMENT, INSTALLATION, VALIDATION, COMMISSIONING, AND MAINTENANCE OF EQUIPMENT FOR TEN (10) PROVINCIAL PHARMACEUTICAL DEPOTS				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO SIGN A WRITTEN CONTRACT					
BID RESPONSE DOCUMENTS MUST BE PHYSICALLY SUBMITTED TO 45 DE LA REY ROAD, THE GRID, GROUND FLOOR, RIVONIA, 2128					
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
	TCS PIN:		OR	CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	<input type="checkbox"/> Yes <input type="checkbox"/> No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT		<input type="checkbox"/> Yes <input type="checkbox"/> No
IF YES, WHO WAS THE CERTIFICATE ISSUED BY?					
AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA) AND NAME THE APPLICABLE IN THE TICK BOX	<input type="checkbox"/>	AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA)			
	<input type="checkbox"/>	A VERIFICATION AGENCY ACCREDITED BY THE SOUTH AFRICAN ACCREDITATION SYSTEM (SANAS)			
	<input type="checkbox"/>	A REGISTERED AUDITOR NAME:			
[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMEs & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]					
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]		ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?		<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ANSWER PART B:3 BELOW]
SIGNATURE OF BIDDER		DATE		
CAPACITY UNDER WHICH THIS BID IS SIGNED (Attach proof of authority to sign this bid; e.g. resolution of directors, etc.)					
TOTAL NUMBER OF ITEMS OFFERED			TOTAL BID PRICE (ALL INCLUSIVE)		
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:			TECHNICAL INFORMATION MAY BE DIRECTED TO:		
DEPARTMENT/ PUBLIC ENTITY			CONTACT PERSON		
CONTACT PERSON			TELEPHONE NUMBER		
TELEPHONE NUMBER			FACSIMILE NUMBER		
FACSIMILE NUMBER			E-MAIL ADDRESS		
E-MAIL ADDRESS					

**PART B
TERMS AND CONDITIONS FOR BIDDING**

1. BID SUBMISSION	
1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.	
1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED – (NOT TO BE RE-TYPED) OR ONLINE	
1.3. BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES). B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.	
1.4. WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION. B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.	
1.5. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT.	
2. TAX COMPLIANCE REQUIREMENTS	
2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.	
2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.	
2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.	
2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.	
2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER.	
2.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.	
3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS	
3.1. IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
3.2. DOES THE BIDDER HAVE A BRANCH IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
3.3. DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
3.4. DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN, THE BIDDER IS NOT ELIGIBLE TO SUBMIT A PROPOSAL.	

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

1. BACKGROUND

In its capacity as the Principal Recipient (PR) of the Global Fund grant, the National Department of Health (NDoH) has secured funding through the COVID-19 Response Mechanism (C19RM), as approved by the Global Fund. This funding is allocated for implementation until December 2025. Among the approved activities under the C19RM grant is the procurement of equipment for provincial government pharmaceutical depots. These initiatives are central to strengthening the Department of Health's (DoH) preparedness and response capacity in combating future pandemics.

The Institute of Health Programs and Systems (IHPS) has been appointed as one of four subrecipients by the NDoH to implement Global Fund TB/HIV programs. The initial implementation period runs from 1 April 2022 to 31 March 2025, with an extension granted from 1 April 2025 to 30 September 2025.

In this context, the NDoH, through IHPS, seeks to appoint qualified and experienced service provider(s) to procure, install, validate, commission, and maintain equipment across ten (10) provincial government pharmaceutical depots. These depots are critical to ensuring the uninterrupted supply of essential medicines to 84% of South Africa's population. Their effective functioning underpins the safe and efficient distribution of medicines, supports public health outcomes, and ensures ongoing compliance with regulatory standards. The procurement initiative is therefore aimed at strengthening storage, distribution, and management systems for pharmaceutical products to improve healthcare service delivery.

2. PURPOSE

To appoint experienced and capable service provider(s) to deliver end-to-end solutions for the procurement, installation, validation, commissioning, and maintenance of equipment in ten provincial government pharmaceutical depots in nine provinces.

3. LEGAL FRAMEWORK

Bidders must comply with all applicable South African laws and regulations, including but not limited to:

- a) Broad-Based Black Empowerment Act No. 53 of 2003
- b) Compensation for Occupational Injuries and Diseases Act (COIDA) No 130 of 1993
- c) Constitution of the Republic of South Africa Act No. 108 of 1996.
- d) Disaster Management Act No. 57 of 2002
- e) Medicine and Related Substances Act 101 of 1965 (as amended)
- f) National Environmental Management Act 107 of 1998
- g) Occupational Health and Safety (OHS) Act No. 85 of 2003
- h) Preferential Procurement Policy Framework Act No.5 of 2000
- i) Promotion of Access to Information Act No 2 of 2000
- j) Promotion of Administration Justice Act No. 3 of 2000
- k) Protection of Personal Information Act 4 of 2014
- l) Public Finance Management Act No. 1 of 1999
- m) South African National Standards
- n) Treasury Regulations of 2022

4. SCOPE OF WORK

The appointed service provider(s) will supply and deliver an end-to-end solution within 8 weeks from the date of award, including but is not limited to, the following:

4.1 Procurement & Supply

- Procure/supply equipment as per the technical specifications as outlined in annexure A.
- Ensure all equipment is new, compliant with Good Distribution/Warehousing Practice(GDP/GWP) and WHO standards.
- Ensure that the equipment is covered by manufacturer warranties.

4.2 Delivery & Installation

Ensure that all equipment are delivered at the specified provincial government pharmaceutical depots listed below:

1. KwaZulu-Natal – Provincial Pharmaceutical Supply Depot
2. North West – Mmabatho Medical Stores
3. Mpumalanga – Mpumalanga Pharmaceutical Depot
4. Limpopo – Limpopo Provincial Pharmaceutical Depo
5. Free State – Free State Government Depot
6. Gauteng – Gauteng Medical Supplies Depot
7. Eastern Cape – Mthatha Pharmaceutical Depot
8. Eastern Cape – Port Elizabeth Pharmaceutical Depo
9. Northern Cape – Dr. Arthur Letele Medical Logistics Centre
10. Western Cape – Cape Town Pharmaceutical Depot

Assemble and install equipment at designated locations, ensuring readiness for operational use.

4.3 Validation & Commissioning

- Conduct acceptance testing.
- Perform installation, operation, and performance qualification.
- Issue commissioning certificates and validation reports confirming compliance with manufacturer specifications.

4.4 Training & Handover

- Provide training to depot staff and maintenance personnel.
- Supply operational manuals, maintenance guides, and emergency procedures.
- Train forklift/pallet stacker operators through an accredited training provider and issue competency certificates.
- Conduct a formal handover of the equipment, including all warranties, certificates, and documentation.

4.5 Maintenance & Support

- Provide after-sales support, including warranty servicing, routine maintenance, and emergency repairs.
- Provide a support line (email/telephone) for technical assistance.

4.6 Compliance

- Ensure compliance with all legislation, safety standards, and environmental regulations.
- Submit all compliance and regulatory certificates.

5. EQUIPMENT SPECIFICATIONS

DETAILED TECHNICAL SPECIFICATIONS ARE PROVIDED IN ANNEXURE A

5.1 WAREHOUSE EQUIPMENT – SUMMARY SPECIFICATIONS

Table 1: Summary Specifications

EQUIPMENT TYPE	SPECIFICATION (SUMMARY)	TOTAL QUANTITY
Pallet Stacker (Electric, walk-behind, 1500kg, 3.3m lift)	Adjustable forks, battery & charger included 1770 (L) x 800 (W) x 3300 (H) mm	46
Pallet Jack (Electric, 2 ton)	Fully electric, 2000kg capacity, AC drive motor, 1800 (L) x 720 (W) x 1385 (H) mm	46
Electric Forklift (6 ton)	6000kg, max lift 7.06m, 80V battery	21
Folding Nose Trolley (180kg)	Industrial steel	160
Stock Picking Trolley (240kg)	Galvanised, 2-shelf	160
Stacking Pallets (4000kg)	Polypropylene, recyclable	700
Racking/Shelving 2100 (W)x 600 (D)x 1800 (H) mm	Heavy-duty steel, 800kg per shelf	8
Racking/Shelving 2900 (W) x 900 (D) x 3000 (H) mm	Heavy-duty steel, 800kg per shelf	80
Racking/Shelving 2900 (W) x 900 (D) x 3000 (H) mm	Heavy-duty steel, 800kg per shelf	48
Racking/Shelving 2100 (W)x 1050 (D) x 3000 (H) mm	Heavy-duty steel, 800kg per shelf	80

6. ADMINISTRATIVE REQUIREMENTS

The following legislative documents must be fully completed and duly signed by the bidder.

Table 2: Returnable Documents

NO	DOCUMENT NAME	INCLUDED (Y/N)
1	Invitation To Bid (SBD1)	
2	SBD 3.1 Pricing Schedule	
3	SBD4 Bidders Disclosure	
4	Preference Points Claim Form (SBD 6.1)	
5	Bidder must provide proof of COIDA	

6. MANDATORY REQUIREMENTS

It is the responsibility of each Bidder to ensure that complete documents are submitted on or before the closing date and time. The following are mandatory requirements that Bidders must comply with to be considered for the Request for Proposal (RFP):

Table 3: Mandatory Documents

NO	DOCUMENT NAME	INCLUDED (Y/N)
1	Recent CSD Registration Report	
2	The bidder must be registered with SARS for Value Added Tax (VAT) and must provide a valid Tax Compliance Status (TCS) Pin.	
3	in the case of a Joint Venture/consortium, all service providers must provide all the administrative and mandatory documents	
4	in case of a Joint Venture(JV)/consortium, a JV/consortium agreement must be provided indicating level of responsibility and lead entity.	

5	Bidders must provide either a bank confirmed overdraft facility of at least ZAR 5 million or a recent bank statements not older than 3 months demonstrating sufficient financial capability of at least ZAR 5 million to execute the contract.	
6	Copies of the entity registration (CIPC)	
7	The bidder must be registered with SARS for Value Added Tax (VAT) and must provide a valid Tax Compliance Status (TCS) Pin.	

NB: A BIDDER THAT DOES NOT SUBMIT ANY OF THE ABOVE MANDATORY REQUIREMENTS WILL BE AUTOMATICALLY DISQUALIFIED.

7. TECHNICAL REQUIREMENTS

The following are technical requirements that Bidders must comply with to be considered for the tender:

- The bidder must have a minimum of 5 years of experience in procurement or supply and validation of Pallet Stacker, Pallet Jack Electric, Electric Forklift.
- The bidder must supply folding nose trolley, stock picking trolley, polypropylene stacking pallets according to specifications provided in Annexure A.
- The bidder must have personnel with a minimum of 3 years experience in installation of warehouse shelving.
- The bidder must ensure that equipment must carry European Conformity (CE) or International Standards Organisation (ISO) or equivalent international certification.
- The bidder must ensure that all equipment is brand new and not refurbished and must comply with South African Bureau of Standards (SABS)
- The bidder must ensure equipment is fully functional on delivery (battery charged, safety operational, no defects.)
- The bidder must ensure that the equipment operate optimally within the pharmaceutical temperature and relative humidity as per the Good Distribution Practice (GDP) requirement.
- The bidder must ensure that all equipment are delivered in 10 pharmaceutical depots in good condition.

8. EVALUATION CRITERIA

A three-stage evaluation process will be employed:

Phase 1 - Mandatory Requirements

All bids received will be reviewed for compliance with the mandatory requirements outlined in Table 3. Only Bidders who meet all mandatory criteria will proceed to Phase 2.

Phase 2 - Technical Evaluation

Bidders who satisfy all mandatory requirements will proceed to the technical evaluation, where their experience, training and support, validation and commissioning will be assessed. Only Bidders who achieve at least a minimum total threshold score of 35 points (70%) will proceed to the next phase of the evaluation which will be phase 3 (price and specific goals).

Table 4: Technical Evaluation-Functionality

CRITERIA	POINTS	SUB-CRITERIA	POINTS ALLOCATION
1. COMPANY EXPERIENCE	15	3 similar projects in the past 10 years with full references and evidence (e.g., commissioning certificates, reference letters)	15
		2 similar projects in the past 10 years with full references and evidence (e.g., commissioning certificates, reference letters)	10
		1 similar projects in the past 10 years with full references and evidence (e.g., commissioning certificates, reference letters)	5
		0 similar projects in the past 10 years with full references and evidence (e.g., commissioning certificates, reference letters)	0
2. TRAINING & SUPPORT PLAN	10	Provision of a certified forklift trainer.	10
		No provision of a certified forklift trainer.	0

3. EQUIPMENT VALIDATION & COMMISSIONING	15	All three projects provide on company experience properly validated (validation protocol and reports) and commissioned (commissioning certificates)	15
		Only two projects provide on company experience properly validated (validation protocol and reports) and commissioned (commissioning certificates)	10
		Only one projects provide on company experience properly validated (validation protocol and reports) and commissioned (commissioning certificates)	5
		No validation and commissioning documents provided	0
4. INSTALLATION OF WAREHOUSE SHELVING	10	The bidder has personnel with a minimum of 3 years experience in installation of warehouse shelving.	10
		The bidder has personnel with less than 3 of years experience in installation of warehouse shelving.	0
MAXIMUM POINTS	50		

Note: Criteria 1 and 3 in the table above are linked. A reference letter submitted under Criteria 1 must be supported by corresponding validation and commissioning documents under Criteria 3. Failure to submit these supporting documents will result in a score of zero for both company experience and equipment validation and commissioning.

Technical Specification Checklist

Bidders must complete the technical specification checklist by indicating either “Meet” or “Do Not Meet” for each specification. Each “Meet” response must be supported with an equipment manufacturer’s datasheet or technical specification sheet, with the relevant page number referenced in Table 5. If a bidder’s equipment exceeds the minimum required specification, the bidder must provide the relevant datasheet or technical specification and substantiate the reason for the higher specification.

Table 5: Technical Specification Checklist

ITEM	SPECIFICATION (SUMMARY)	BIDDER RESPONSE (MEET/DO NOT MEET)	DATASHEET/SPECSHEET REFERENCE (PAGE NUMBER/ SECTION)	REMARKS
Pallet Stacker (Electric, 1500kg, 3.3m lift)	Walk-behind, adjustable forks, battery & charger included 1770(L) x 800(W) x 3300(H) mm			
Pallet Jack (Electric, 2 ton)	Fully electric, 2000kg capacity, AC drive motor, 1800(L) x 720(W) x 1385(H) mm			
Electric Forklift (6 ton)	6000kg capacity, max lift 7.06m, 80V battery			
Folding Nose Trolley (180kg)	Industrial steel			
Stock Picking Trolley (240kg, 2-shelf)	Galvanised steel, 240kg load capacity			
Stacking Pallets (4000kg)	Polypropylene, recyclable, 1200 x 1000 x 150mm			
Racking/Shelving (Heavy duty, 800kg per shelf)	2100(W) x 600(D) x 1800(H) mm			
Racking/Shelving (Heavy duty, 800kg per shelf)	2900(W) x 900(D) x 3000(H) mm			
Racking/Shelving (Heavy duty, 800kg per shelf)	2900(W) x 900(D) x 3000(H) mm			
Racking/Shelving (Heavy duty, 800kg per shelf)	2100(W) x 1050(D) x 3000(H) mm			

Phase 3 - Price and Specific Goals

In this phase, Bidders will be evaluated based on price and specific goals points, as claimed on SBD 6.1. Bidders who do not claim specific goals points will not be awarded points under this category. Additional information may be requested to verify the points claimed.

The final award of this bid will follow the Preference Points System, with 80 points allocated for price and 20 points for specific goals. Prices must be quoted in South African Rand (ZAR), inclusive of VAT, and cover all elements listed in the pricing schedule. No hidden or unknown costs will be accepted. Price evaluation will be conducted using the applicable points calculation formula.

Table 6: Stage 3 Preference Points System (Price & Specific Goals)

SPECIFIC GOAL CATEGORY	ALLOCATION OF POINTS 20
Black Ownership: Enterprise Owned by Black Persons <i>i.e., Africans, Coloured, Indians, and Others as defined by the Constitution of South Africa</i> <ul style="list-style-type: none"> 51% or more Black ownership 10%-50% Black ownership Less than 10 Black ownership 	 8 4 0
Woman Ownership <ul style="list-style-type: none"> 51% or more Woman ownership 10% - 50% Woman ownership Less than 10% Women ownership 	 6 3 0
Disability <ul style="list-style-type: none"> 51% or more Disability ownership 10% - 50% Disability ownership Less than 10% Disability ownership 	 2 1 0
Locality Enterprise located in South Africa.	2
SMME/EME SMME constitute a turnover less than 50 million per annum. EME an enterprise that has an enterprise that has a turnover of no more than 10 million per annum.	2
TOTAL	20

9. PRICING

Bidders must complete the pricing table below and ensure the total price is carried forward to SBD3.1.

Table 7: Proposed Pricing list

ITEM	SPECIFICATION (SUMMARY)	PRICE PER UNIT	QUANTITY	TOTAL
Pallet Stacker (Electric, 1500kg, 3.3m lift)	Walk-behind, adjustable forks, battery & charger included 1770(L) x 800(W) x 3300(H) mm	R	46	R
Pallet Jack (Electric, 2 ton)	Fully electric, 2000kg capacity, AC drive motor, 1800(L) x 720(W) x 1385(H) mm	R	46	R
Electric Forklift (6 ton)	6000kg capacity, max lift 7.06m, 80V battery	R	21	R
Folding Nose Trolley (180kg)	Industrial steel	R	160	R
Stock Picking Trolley (240kg, 2-shelf)	Galvanised steel, 240kg load capacity	R	160	R
Stacking Pallets (4000kg)	Polypropylene, recyclable, 1200 x 1000 x 150mm	R	700	R
Racking/Shelving (Heavy duty, 800kg per shelf)	2100(W) x 600(D) x 1800(H) mm	R	8	R
Racking/Shelving (Heavy duty, 800kg per shelf)	2900(W) x 900(D) x 3000(H) mm	R	80	R
Racking/Shelving (Heavy duty, 800kg per shelf)	2900(W) x 900(D) x 3000(H) mm	R	48	R
Racking/Shelving (Heavy duty, 800kg per shelf)	2100(W) x 1050(D) x 3000(H) mm	R	80	R
Delivery Cost (For All Depots)		R		
VAT				
TOTAL				R

10. SPECIAL CONDITIONS

- IHPS reserves the right to award the tender to the most suitable Bidder.
- IHPS reserves the right to appoint or cancel the tender, and the continuity of work published is subject to the availability of funding from the funder.
- IHPS reserves the right to stop the contract partly or, temporarily, or indefinitely, in which event neither claim nor liability whatsoever shall lie against the IHPS due to non-compliance, or non-performance, by the Bidder.
- IHPS reserves the right not to make an award.
- IHPS reserves the right to conduct price negotiations where it is deemed necessary.
- All service providers or Bidders are bound to protect the confidentiality of all data (including the protection of personal information) and information gathered and accessed through the work on the assignment. Information and data received and accessed through this project may only be used to meet the objectives outlined in these specifications.
- IHPS reserves the right to request any relevant documentation at any stage of implementation.
- All records, data, and information relating to the project are owned by IHPS and remain the intellectual property of the IHPS, and as such, they must be treated as confidential by the Bidder.
- At the end of the contract period, the service provider shall make available to IHPS a record of all the data and information relating to the project to enable the new service provider to take on that data and information sufficiently and properly in a manner that would enable the new service provider to commence delivering services to IHPS.
- IHPS reserves the right to conduct Bidder due diligence before the final award or at any time during the contract period. This may include site visits.
- Service providers or Bidders must submit two sets (one original signed copy, one exact electronic signed copy PDF on a memory stick) of bid documents according to the instructions below:
 - a. The signed original hard copy of the bid document will serve as the legal bid document.
 - b. All pages in the bid submission must be initialled by the same person with black ink.
 - c. Where certified copies of documents are required, the person certifying such documents must not be associated with the bidder in any way.
 - d. Certified copies of documents shall be submitted in original and not later than 6 months from the closing date.
 - e. The use of correction fluid is not acceptable. Any change(s) must be indicated and initialled.
- All bid documents must be submitted on or before the closing time of the bid (date and hour specified in the bidding documents).
- Incomplete bids will be deemed non-responsive.
- Validity period of the bid is 120 days, IHPS and NDoH reserves the right to extend the validity period.

11. SPECIAL REQUIREMENTS

- The bidder must ensure that forklift drivers training provider is accredited by the relevant body as a skills development provider and should result in the issuance of a competency certificate
- The bidder must use transport vehicles suitable for equipment dimensions and weight (Flatbed/Lowbed/enclosed where applicable)
- The bidder must provide offloading equipment (crane/forklift/tail-lift)
- The bidder must ensure that equipment is packaged/protected against weather conditions and handling damage.
- The bidder must provide a delivery schedule at least 5 working days in advance.
- The bidder must ensure pre-delivery inspection (PDI) completed before dispatch and the PDI must be provided at Delivery
- The bidder must provide spare parts catalogue for the equipment
- The bidder must provide safety signage, decals, and warnings affixed to equipment.
- The bidder is responsible for removal of packaging and waste from site.
- Compulsory online attendance of the tender briefing session.

12. COMPULSORY BRIEFING SESSION

Date: 4 September 2025

Time: 10h00

Venue/ Platform: Virtual (MS Teams): [Join the meeting now](#)

13. TECHNICAL & ADMINISTRATION ENQUIRIES

All enquiries must be submitted in writing to: requisitions@ihps-sa.org.

14. SUBMISSION INSTRUCTIONS

- Two sets of proposals must be submitted: (1) Original signed hard copy, and (2) One exact copy of the original hard copy (PDF on memory stick).
- Both sets of the bid proposal (the original signed hard copy and the electronic copy) must be properly indexed.
- All pages of the bid must be initialled in black ink by the same person.
- Proposals must be physically submitted to 45 De La Rey Road, The Grid, Ground Floor, Rivonia, 2128.
- Closing Date and Time: 16 September 2025 at 12:00
- Late submissions will not be considered.

NB: PLEASE NOTE THAT IHPS AND THE NDOH RESERVE THE RIGHT TO WITHDRAW THIS TENDER AT ANY TIME WITHOUT PRIOR NOTICE AND WITHOUT INCURRING ANY LIABILITY OR OBLIGATION TO ANY PARTY.

SBD 3.1

PRICING SCHEDULE

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:

.....

.....Rand
(in words);

R..... (in figures).

Name of Organisation:

Name of Signatory:

Capacity of Signatory:

.....

Signature:

Date:

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. BIDDER'S DECLARATION

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....

.....

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

SBD 4

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....
.....

3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

3.1 I have read, and I understand the contents of this disclosure.

3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect.

3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.

3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.

3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

SBD 4

3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position

.....
Name of bidder

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

1.2 To be completed by the organ of state

The applicable preference point system for this tender is the 80/20 preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.5 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price proposals, competitive tendering process or any other method envisaged in legislation;

- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“Rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“The Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis: **80/20**

$$Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of:
 - (a) an invitation for tender for income-generating contracts, of 80/20 preference points system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system, then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: 80/20 preference point system is applicable, corresponding points

THE SPECIFIC GOALS ALLOCATED POINTS IN TERMS OF THIS TENDER	NUMBER OF POINTS ALLOCATED (80/20 SYSTEM)	NUMBER OF POINTS CLAIMED (80/20 SYSTEM) (TO BE COMPLETED BY THE BIDDER)
Black Ownership: Enterprise Owned by Black Persons i.e., Africans, Coloured, Indians, and Others as defined by the Constitution of South Africa <ul style="list-style-type: none"> 51% or more Black owned enterprises 50%- 10% Black ownership Less than 10% Black Ownership 	<p>8</p> <p>4</p> <p>0</p>	
Women Ownership <ul style="list-style-type: none"> 51% or more Women Ownership 50%- 10% Women Ownership Less than 10% Women Ownership 	<p>6</p> <p>3</p> <p>0</p>	
Disability <ul style="list-style-type: none"> 51% or more Disability Ownership 50%- 10% Disability Ownership Less than 10% Disability Ownership 	<p>2</p> <p>1</p> <p>0</p>	
Locality Enterprise located in the Gauteng Province.	<p>2</p>	
SMME/EME SMME constitute a turnover less than 50 million per annum. EME an enterprise that has an enterprise that has a turnover of no more than 10 million per annum.	<p>2</p>	
Total	20	

must also be indicated as such. Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

4.5. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct.
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process.
 - (b) recover costs, losses, or damages it has incurred or suffered as a result of that person's conduct.
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation.
 - (d) recommend that the tenderer or contractor, its shareholders, and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

.....
SIGNATURE

.....
DATE

.....
POSITION

.....
NAME OF BIDDER

ANNEXURE A

DETAILED SPECIFICATIONS

a) North West (Mmabatho Medical Stores)

Item	Specification	Dimensions
1. Pallet stacker electric- Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift Quantity: 5	<ul style="list-style-type: none"> Capacity: 1500kg Load centre: 600mm Lowered height: 90mm Maximum lifting height: 3300mm Drive unit: Electric Service brake type: Electronic Minimum turning radius: 2065mm Battery and charger included Single wheels: 70(W) x 80(radius) mm Adjustable forks: 320mm-685mm 	<ul style="list-style-type: none"> External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm
2. Pallet jack electric- Truck- Fully Electric- 2 ton Capacity Quantity: 5	<ul style="list-style-type: none"> Capacity: 2000kg Load centre: 600mm Lowered height: 85mm Maximum lifting height: 110mm Minimum turning radius: 1575mm Drive motor: AC 1.5kW Lift motor: DC 2.0kW Battery and charger included Bogie wheels: 70(W) x 80(radius) mm Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
3. Electric Forklift- capacity- 6 ton Quantity: 3	<ul style="list-style-type: none"> Capacity: 6000kg Max lift height: 7060 mm Max. Battery capacity: 1240 Ah Voltage: 80 volt Top speed: 20,0 km/h Load-sensing alarm (overloading) Indoor use compliance 	<ul style="list-style-type: none"> Length 4,850 mm (Without forks) Width 1,600–2,100 mm Mast Lowered Height 2,270–2,980 mm (Fully retracted) Mast Extended Height 4,165–4,740 mm (With backrest, at max lift) Overhead Guard Height 2,255–2,892 mm

		(Operator cabin height) • Turning Radius 2,817–4,450 mm (Outside turning radius) • Wheelbase 2,000–2,900 mm (Distance between front/rear axles) • Ground Clearance 160–265 mm (Under mast/chassis) • Fork Dimensions (L×W×T) 1,070×150×50 mm (Standard fork size)
4. Folding Nose Trolley- Large-Capacity 180kg Quantity: 20	• Industrial steel trolley • Load capacity: 180 kg	• 1130 (H) x 650 (W) x 600 (L) mm
5. Stock picking trolley- 2 shelf- Galvanised- 240 kg Quantity: 20	• Load capacity: 240 kg • Complete with 2 shelves	• 1100(L) x 610 (W) x 110 (H) mm
6. Stacking Pallets Quantity: 100	• Load capacity: 4000 kg • Fully recyclable, polypropylene or similar	• 1200x 1000x 150mm

b) Kwa Zulu Natal (PPSD)

Item	Specification	Dimensions
7. Pallet stacker electric- Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift Quantity: 7	• Capacity: 1500kg • Load centre: 600mm • Lowered height: 90mm • Maximum lifting height: 3300mm • Drive unit: Electric • Service brake type: Electronic • Minimum turning radius: 2065mm • Battery and charger included • Single wheels: 70(W) x 80(radius) mm • Adjustable forks: 320mm-685mm	• External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm



<p>8. Pallet jack electric- Truck- Fully Electric- 2 ton Capacity</p> <p>Quantity: 7</p>	<ul style="list-style-type: none"> • Capacity: 2000kg • Load centre: 600mm • Lowered height: 85mm • Maximum lifting height: 110mm • Minimum turning radius: 1575mm • Drive motor: AC 1.5kW • Lift motor: DC 2.0kW • Battery and charger included • Bogie wheels: 70(W) x 80(radius) mm • Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> • External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
<p>9. Electric Forklift- capacity- 6 ton</p> <p>Quantity: 3</p>	<ul style="list-style-type: none"> • Capacity: 6000kg • Max lift height: 7060 mm • Max. Battery capacity: 1240 Ah • Voltage: 80 volt • Top speed: 20,0 km/h • Load-sensing alarm (overloading) • Indoor use compliance 	<ul style="list-style-type: none"> • Length 4,850 mm (Without forks) • Width 1,600–2,100 mm • Mast Lowered Height 2,270–2,980 mm (Fully retracted) • Mast Extended Height 4,165–4,740 mm (With backrest, at max lift) • Overhead Guard Height 2,255–2,892 mm (Operator cabin height) • Turning Radius 2,817–4,450 mm (Outside turning radius) • Wheelbase 2,000–2,900 mm (Distance between front/rear axles) • Ground Clearance 160–265 mm (Under mast/chassis) • Fork Dimensions (L×W×T) 1,070×150×50 mm (Standard fork size)
<p>10. Folding Nose Trolley- Large- Capacity 180kg</p> <p>Quantity: 20</p>	<ul style="list-style-type: none"> • Industrial steel trolley • Load capacity: 180 kg 	<ul style="list-style-type: none"> • 1130 (H) x 650 (W) x 600 (L) mm

11. Stock picking trolley- 2 shelf- Galvanised- 240 kg Quantity: 20	<ul style="list-style-type: none"> • Load capacity: 240 kg • Complete with 2 shelves 	<ul style="list-style-type: none"> • 1100(L) x 610 (W) x 110 (H) mm
---	--	--

c) Mpumalanga (Middleburg Pharmaceutical Depot)

Item	Specification	Dimensions
12. Pallet stacker electric- Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift Quantity: 5	<ul style="list-style-type: none"> • Capacity: 1500kg • Load centre: 600mm • Lowered height: 90mm • Maximum lifting height: 3300mm • Drive unit: Electric • Service brake type: Electronic • Minimum turning radius: 2065mm • Battery and charger included • Single wheels: 70(W) x 80(radius) mm • Adjustable forks: 320mm- 685mm 	<ul style="list-style-type: none"> • External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm
13. Pallet jack electric- Truck- Fully Electric- 2 ton Capacity Quantity: 5	<ul style="list-style-type: none"> • Capacity: 2000kg • Load centre: 600mm • Lowered height: 85mm • Maximum lifting height: 110mm • Minimum turning radius: 1575mm • Drive motor: AC 1.5kW • Lift motor: DC 2.0kW • Battery and charger included • Bogie wheels: 70(W) x 80(radius) mm • Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> • External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
14. Electric Forklift- capacity- 6 ton Quantity: 2	<ul style="list-style-type: none"> • Capacity: 6000kg • Max lift height: 7060 mm • Max. Battery capacity: 1240 Ah • Voltage: 80 volt • Top speed: 20,0 km/h • Load-sensing alarm (overloading) • Indoor use compliance 	<ul style="list-style-type: none"> • Length 4,850 mm (Without forks) • Width 1,600–2,100 mm • Mast Lowered Height 2,270–2,980 mm (Fully retracted) • Mast Extended Height 4,165–4,740 mm (With backrest, at max lift) • Overhead Guard Height 2,255–2,892 mm

		<p>(Operator cabin height)</p> <ul style="list-style-type: none"> Turning Radius 2,817–4,450 mm (Outside turning radius) Wheelbase 2,000–2,900 mm (Distance between front/rear axles) Ground Clearance 160–265 mm (Under mast/chassis) Fork Dimensions (L×W×T) 1,070×150×50 mm (Standard fork size)
<p>15. Folding Nose Trolley- Large-Capacity 180kg</p> <p>Quantity: 20</p>	<ul style="list-style-type: none"> Industrial steel trolley Load capacity: 180 kg 	<ul style="list-style-type: none"> 1130 (H) x 650 (W) x 600 (L) mm
<p>16. Stock picking trolley- 2 shelf- Galvanised- 240 kg</p> <p>Quantity: 20</p>	<ul style="list-style-type: none"> Load capacity: 240 kg Complete with 2 shelves 	<ul style="list-style-type: none"> 1100(L) x 610 (W) x 110 (H) mm
<p>17. Stacking Pallets</p> <p>Quantity: 100</p>	<ul style="list-style-type: none"> Load capacity: 4000 kg Fully recyclable, polypropylene or similar 	<ul style="list-style-type: none"> 1200x 1000x 150mm

d) Limpopo Pharmaceutical Depot

Item	Specification	Dimensions
<p>18. Pallet stacker electric- Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift</p> <p>Quantity: 5</p>	<ul style="list-style-type: none"> Capacity: 1500kg Load centre: 600mm Lowered height: 90mm Maximum lifting height: 3300mm Drive unit: Electric Service brake type: Electronic Minimum turning radius: 2065mm Battery and charger included 	<ul style="list-style-type: none"> External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm



	<ul style="list-style-type: none"> • Single wheels: 70(W) x 80(radius) mm • Adjustable forks: 320mm-685mm 	
<p>19. Pallet jack electric- Truck-Fully Electric- 2 ton Capacity</p> <p>Quantity: 5</p>	<ul style="list-style-type: none"> • Capacity: 2000kg • Load centre: 600mm • Lowered height: 85mm • Maximum lifting height: 110mm • Minimum turning radius: 1575mm • Drive motor: AC 1.5kW • Lift motor: DC 2.0kW • Battery and charger included • Bogie wheels: 70(W) x 80(radius) mm • Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> • External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
<p>20. Electric Forklift- capacity- 6 ton</p> <p>Quantity: 2</p>	<ul style="list-style-type: none"> • Capacity: 6000kg • Max lift height: 7060 mm • Max. Battery capacity: 1240 Ah • Voltage: 80 volt • Top speed: 20,0 km/h • Load-sensing alarm (overloading) • Indoor use compliance 	<ul style="list-style-type: none"> • Length 4,850 mm (Without forks) • Width 1,600–2,100 mm • Mast Lowered Height 2,270–2,980 mm (Fully retracted) • Mast Extended Height 4,165–4,740 mm (With backrest, at max lift) • Overhead Guard Height 2,255–2,892 mm (Operator cabin height) • Turning Radius 2,817–4,450 mm (Outside turning radius) • Wheelbase 2,000–2,900 mm (Distance between front/rear axles) • Ground Clearance 160–265 mm (Under mast/chassis) • Fork Dimensions (L×W×T) 1,070×150×50 mm (Standard fork size)

21. Folding Nose Trolley- Large- Capacity 180kg Quantity: 20	<ul style="list-style-type: none"> Industrial steel trolley Load capacity: 180 kg 	<ul style="list-style-type: none"> 1130 (H) x 650 (W) x 600 (L) mm
22. Stock picking trolley- 2 shelf- Galvanised- 240 kg Quantity: 20	<ul style="list-style-type: none"> Load capacity: 240 kg Complete with 2 shelves 	<ul style="list-style-type: none"> 1100(L) x 610 (W) x 110 (H) mm

e) Free State Provincial Pharmaceutical Depot

Item	Specification	Dimensions
23. Pallet stacker electric- Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift Quantity: 7	<ul style="list-style-type: none"> Capacity: 1500kg Load centre: 600mm Lowered height: 90mm Maximum lifting height: 3300mm Drive unit: Electric Service brake type: Electronic Minimum turning radius: 2065mm Battery and charger included Single wheels: 70(W) x 80(radius) mm Adjustable forks: 320mm-685mm 	<ul style="list-style-type: none"> External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm
24. Pallet jack electric- Truck- Fully Electric- 2 ton Capacity Quantity: 7	<ul style="list-style-type: none"> Capacity: 2000kg Load centre: 600mm Lowered height: 85mm Maximum lifting height: 110mm Minimum turning radius: 1575mm Drive motor: AC 1.5kW Lift motor: DC 2.0kW Battery and charger included Bogie wheels: 70(W) x 80(radius) mm Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
25. Electric Forklift- capacity- 6 ton Quantity: 2	<ul style="list-style-type: none"> Capacity: 6000kg Max lift height: 7060 mm Max. Battery capacity: 1240 Ah Voltage: 80 volt Top speed: 20,0 km/h Load-sensing alarm (overloading) Indoor use compliance 	<ul style="list-style-type: none"> Length 4,850 mm (Without forks) Width 1,600–2,100 mm Mast Lowered Height 2,270–2,980 mm (Fully retracted) Mast Extended Height 4,165–4,740 mm



		<p>(With backrest, at max lift)</p> <ul style="list-style-type: none"> Overhead Guard Height 2,255–2,892 mm (Operator cabin height) Turning Radius 2,817–4,450 mm (Outside turning radius) Wheelbase 2,000–2,900 mm (Distance between front/rear axles) Ground Clearance 160–265 mm (Under mast/chassis) Fork Dimensions (L×W×T) 1,070×150×50 mm (Standard fork size)
<p>26. Folding Nose Trolley- Large-Capacity 180kg</p> <p>Quantity: 20</p>	<ul style="list-style-type: none"> Industrial steel trolley Load capacity: 180 kg 	<ul style="list-style-type: none"> 1130 (H) x 650 (W) x 600 (L) mm
<p>27. Stock picking trolley- 2 shelf- Galvanised- 240 kg</p> <p>Quantity: 20</p>	<ul style="list-style-type: none"> Load capacity: 240 kg Complete with 2 shelves 	<ul style="list-style-type: none"> 1100(L) x 610 (W) x 110 (H) mm
<p>28. Stacking Pallets</p> <p>Quantity: 200</p>	<ul style="list-style-type: none"> Load capacity: 4000 kg Fully recyclable, polypropylene or similar 	<ul style="list-style-type: none"> 1200x 1000x 150mm

f) **Gauteng Provincial Pharmaceutical Depot**

Item	Specification	Dimensions
<p>29. Pallet stacker electric- Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift</p> <p>Quantity: 5</p>	<ul style="list-style-type: none"> Capacity: 1500kg Load centre: 600mm Lowered height: 90mm Maximum lifting height: 3300mm Drive unit: Electric Service brake type: Electronic 	<ul style="list-style-type: none"> External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm



	<ul style="list-style-type: none"> • Minimum turning radius: 2065mm • Battery and charger included • Single wheels: 70(W) x 80(radius) mm • Adjustable forks: 320mm-685mm 	
<p>30. Pallet jack electric- Truck- Fully Electric- 2 ton Capacity</p> <p>Quantity: 5</p>	<ul style="list-style-type: none"> • Capacity: 2000kg • Load centre: 600mm • Lowered height: 85mm • Maximum lifting height: 110mm • Minimum turning radius: 1575mm • Drive motor: AC 1.5kW • Lift motor: DC 2.0kW • Battery and charger included • Bogie wheels: 70(W) x 80(radius) mm • Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> • External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
<p>31. Electric Forklift- capacity- 6 ton</p> <p>Quantity: 2</p>	<ul style="list-style-type: none"> • Capacity: 6000kg • Max lift height: 7060 mm • Max. Battery capacity: 1240 Ah • Voltage: 80 volt • Top speed: 20,0 km/h • Load-sensing alarm (overloading) • Indoor use compliance 	<ul style="list-style-type: none"> • Length 4,850 mm (Without forks) • Width 1,600–2,100 mm • Mast Lowered Height 2,270–2,980 mm (Fully retracted) • Mast Extended Height 4,165–4,740 mm (With backrest, at max lift) • Overhead Guard Height 2,255–2,892 mm (Operator cabin height) • Turning Radius 2,817–4,450 mm (Outside turning radius) • Wheelbase 2,000–2,900 mm (Distance between front/rear axles) • Ground Clearance 160–265 mm (Under mast/chassis) • Fork Dimensions (L×W×T) 1,070×150×50

		mm (Standard fork size) •
32. Folding Nose Trolley- Large-Capacity 180kg Quantity: 20	<ul style="list-style-type: none"> Industrial steel trolley Load capacity: 180 kg 	<ul style="list-style-type: none"> 1130 (H) x 650 (W) x 600 (L) mm
33. Stock picking trolley- 2 shelf-Galvanised- 240 kg Quantity: 20	<ul style="list-style-type: none"> Load capacity: 240 kg Complete with 2 shelves 	<ul style="list-style-type: none"> 1100(L) x 610 (W) x 110 (H) mm

g) Eastern Cape (Mthatha Pharmaceutical Depot)

Item	Specification	Dimensions
34. Pallet stacker electric- Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift Quantity: 5	<ul style="list-style-type: none"> Capacity: 1500kg Load centre: 600mm Lowered height: 90mm Maximum lifting height: 3300mm Drive unit: Electric Service brake type: Electronic Minimum turning radius: 2065mm Battery and charger included Single wheels: 70(W) x 80(radius) mm Adjustable forks: 320mm- 685mm 	<ul style="list-style-type: none"> External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm
35. Pallet jack electric- Truck- Fully Electric- 2 ton Capacity Quantity: 5	<ul style="list-style-type: none"> Capacity: 2000kg Load centre: 600mm Lowered height: 85mm Maximum lifting height: 110mm Minimum turning radius: 1575mm Drive motor: AC 1.5kW Lift motor: DC 2.0kW Battery and charger included Bogie wheels: 70(W) x 80(radius) mm Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
36. Electric Forklift- capacity- 6 ton Quantity: 2	<ul style="list-style-type: none"> Capacity: 6000kg Max lift height: 7060 mm Max. Battery capacity: 1240 Ah Voltage: 80 volt 	<ul style="list-style-type: none"> Length 4,850 mm (Without forks) Width 1,600–2,100 mm



	<ul style="list-style-type: none"> • Top speed: 20,0 km/h • Load-sensing alarm (overloading) • Indoor use compliance 	<ul style="list-style-type: none"> • Mast Lowered Height 2,270–2,980 mm (Fully retracted) • Mast Extended Height 4,165–4,740 mm (With backrest, at max lift) • Overhead Guard Height 2,255–2,892 mm (Operator cabin height) • Turning Radius 2,817– 4,450 mm (Outside turning radius) • Wheelbase 2,000– 2,900 mm (Distance between front/rear axles) • Ground Clearance 160–265 mm (Under mast/chassis) • Fork Dimensions (L×W×T) 1,070×150×50 mm (Standard fork size) •
37. Folding Nose Trolley- Large-Capacity 180kg Quantity: 20	<ul style="list-style-type: none"> • Industrial steel trolley • Load capacity: 180 kg 	<ul style="list-style-type: none"> • 1130 (H) x 650 (W) x 600 (L) mm
38. Stock picking trolley- 2 shelf-Galvanised- 240 kg Quantity: 20	<ul style="list-style-type: none"> • Load capacity: 240 kg • Complete with 2 shelves 	<ul style="list-style-type: none"> • 1100(L) x 610 (W) x 110 (H) mm
39. Stacking Pallets Quantity: 100	<ul style="list-style-type: none"> • Load capacity: 4000 kg • Fully recyclable, polypropylene or similar 	<ul style="list-style-type: none"> • 1200x 1000x 150mm

h) Eastern Cape (Port Elizabeth Pharmaceutical Depot)

Item	Specification	Dimensions
<p>40. Pallet stacker electric- Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift</p> <p>Quantity: 7</p>	<ul style="list-style-type: none"> Capacity: 1500kg Load centre: 600mm Lowered height: 90mm Maximum lifting height: 3300mm Drive unit: Electric Service brake type: Electronic Minimum turning radius: 2065mm Battery and charger included Single wheels: 70(W) x 80(radius) mm Adjustable forks: 320mm- 685mm 	<ul style="list-style-type: none"> External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm
<p>41. Pallet jack electric- Truck- Fully Electric- 2 ton Capacity</p> <p>Quantity: 7</p>	<ul style="list-style-type: none"> Capacity: 2000kg Load centre: 600mm Lowered height: 85mm Maximum lifting height: 110mm Minimum turning radius: 1575mm Drive motor: AC 1.5kW Lift motor: DC 2.0kW Battery and charger included Bogie wheels: 70(W) x 80(radius) mm Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
<p>42. Electric Forklift- capacity- 6 ton</p> <p>Quantity: 3</p>	<ul style="list-style-type: none"> Capacity: 6000kg Max lift height: 7060 mm Max. Battery capacity: 1240 Ah Voltage: 80 volt Top speed: 20,0 km/h Load-sensing alarm (overloading) Indoor use compliance 	<ul style="list-style-type: none"> Length 4,850 mm (Without forks) Width 1,600–2,100 mm Mast Lowered Height 2,270–2,980 mm (Fully retracted) Mast Extended Height 4,165–4,740 mm (With backrest, at max lift) Overhead Guard Height 2,255–2,892 mm (Operator cabin height) Turning Radius 2,817–4,450 mm (Outside turning radius)

		<ul style="list-style-type: none"> • Wheelbase 2,000–2,900 mm (Distance between front/rear axles) • Ground Clearance 160–265 mm (Under mast/chassis) • Fork Dimensions (L×W×T) 1,070×150×50 mm (Standard fork size) •
43. Folding Nose Trolley- Large-Capacity 180kg Quantity: 20	<ul style="list-style-type: none"> • Industrial steel trolley • Load capacity: 180 kg 	<ul style="list-style-type: none"> • 1130 (H) x 650 (W) x 600 (L) mm
44. Stock picking trolley- 2 shelf-Galvanised- 240 kg Quantity: 20	<ul style="list-style-type: none"> • Load capacity: 240 kg • Complete with 2 shelves 	<ul style="list-style-type: none"> • 1100(L) x 610 (W) x 110 (H) mm
45. Stacking Pallets Quantity: 200	<ul style="list-style-type: none"> • Load capacity: 4000 kg • Fully recyclable, polypropylene or similar 	<ul style="list-style-type: none"> • 1200x 1000x 150mm

i) Northern Cape Pharmaceutical Depot

Item	Specification	Dimensions
46. Pallet stacker electric-Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift Quantity: 5	<ul style="list-style-type: none"> • Capacity: 1500kg • Load centre: 600mm • Lowered height: 90mm • Maximum lifting height: 3300mm • Drive unit: Electric • Service brake type: Electronic • Minimum turning radius: 2065mm • Battery and charger included • Single wheels: 70(W) x 80(radius) mm • Adjustable forks: 320mm-685mm 	<ul style="list-style-type: none"> • External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm



<p>47. Pallet jack electric- Truck- Fully Electric- 2 ton Capacity</p> <p>Quantity: 5</p>	<ul style="list-style-type: none"> • Capacity: 2000kg • Load centre: 600mm • Lowered height: 85mm • Maximum lifting height: 110mm • Minimum turning radius: 1575mm • Drive motor: AC 1.5kW • Lift motor: DC 2.0kW • Battery and charger included • Bogie wheels: 70(W) x 80(radius) mm • Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> • External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
<p>48. Electric Forklift- capacity- 6 ton</p> <p>Quantity: 2</p>	<ul style="list-style-type: none"> • Capacity: 6000kg • Max lift height: 7060 mm • Max. Battery capacity: 1240 Ah • Voltage: 80 volt • Top speed: 20,0 km/h • Load-sensing alarm (overloading) • Indoor use compliance 	<ul style="list-style-type: none"> • Length 4,850 mm (Without forks) • Width 1,600–2,100 mm • Mast Lowered Height 2,270–2,980 mm (Fully retracted) • Mast Extended Height 4,165–4,740 mm (With backrest, at max lift) • Overhead Guard Height 2,255–2,892 mm (Operator cabin height) • Turning Radius 2,817–4,450 mm (Outside turning radius) • Wheelbase 2,000–2,900 mm (Distance between front/rear axles) • Ground Clearance 160–265 mm (Under mast/chassis) • Fork Dimensions (L×W×T) 1,070×150×50 mm (Standard fork size) •
<p>49. Folding Nose Trolley- Large- Capacity 180kg</p> <p>Quantity: 20</p>	<ul style="list-style-type: none"> • Industrial steel trolley • Load capacity: 180 kg 	<ul style="list-style-type: none"> • 1130 (H) x 650 (W) x 600 (L) mm



50. Stock picking trolley- 2 shelf- Galvanised- 240 kg Quantity: 20	<ul style="list-style-type: none"> • Load capacity: 240 kg • Complete with 2 shelves 	<ul style="list-style-type: none"> • 1100(L) x 610 (W) x 110 (H) mm
51. 3-Level Racking/shelving in Warehouse 1	<ul style="list-style-type: none"> • Heavy duty steel • Load capacity: 800kg per shelf 	<ul style="list-style-type: none"> • 2100 (W)x 600 (D)x 1800 (H) mm
52. 3-Level Racking/Shelving in warehouse 1	<ul style="list-style-type: none"> • Heavy duty steel • Load capacity: 800kg per shelf 	<ul style="list-style-type: none"> • 2900 (W) x 900 (D) x 3000 (H) mm
53. 3-Level Racking/Shelving in warehouse 2	<ul style="list-style-type: none"> • Heavy duty steel • Load capacity: 800kg per shelf 	<ul style="list-style-type: none"> • 2900 (W) x 900 (D) x 3000 (H) mm
54. 4-level Racking/shelving in warehouse 2	<ul style="list-style-type: none"> • Heavy duty steel • Load capacity: 800kg per shelf 	<ul style="list-style-type: none"> • 2100 (W)x 1050 (D) x 3000 (H) mm

j) Western Cape (Cape Town Pharmaceutical Depot)

Item	Specification	Dimensions
55. Pallet stacker electric- Adjustable forks- Walk behind- 1500kg Capacity- 3.3m Lift Quantity: 5	<ul style="list-style-type: none"> • Capacity: 1500kg • Load centre: 600mm • Lowered height: 90mm • Maximum lifting height: 3300mm • Drive unit: Electric • Service brake type: Electronic • Minimum turning radius: 2065mm • Battery and charger included • Single wheels: 70(W) x 80(radius) mm • Adjustable forks: 320mm- 685mm 	<ul style="list-style-type: none"> • External dimensions: 1770 (L) x 800 (W) x 3300 (H) mm
56. Pallet jack electric- Truck- Fully Electric- 2 ton Capacity Quantity: 5	<ul style="list-style-type: none"> • Capacity: 2000kg • Load centre: 600mm • Lowered height: 85mm • Maximum lifting height: 110mm • Minimum turning radius: 1575mm • Drive motor: AC 1.5kW • Lift motor: DC 2.0kW • Battery and charger included • Bogie wheels: 70(W) x 80(radius) mm • Fork size: 1200(L) x 185 (W) x 55 (H) mm 	<ul style="list-style-type: none"> • External dimensions: 1800 (L) x 720 (W) x 1385 (H) mm
57. Electric Forklift- capacity- 6 ton	<ul style="list-style-type: none"> • Capacity: 6000kg • Max lift height: 7060 mm 	<ul style="list-style-type: none"> • Length 4,850 mm (Without forks) • Width 1,600–2,100 mm



<p>Quantity: 2</p>	<ul style="list-style-type: none"> • Max. Battery capacity: 1240 Ah • Voltage: 80 volt • Top speed: 20,0 km/h • Load-sensing alarm (overloading) • Indoor use compliance 	<ul style="list-style-type: none"> • Mast Lowered Height 2,270–2,980 mm (Fully retracted) • Mast Extended Height 4,165–4,740 mm (With backrest, at max lift) • Overhead Guard Height 2,255–2,892 mm (Operator cabin height) • Turning Radius 2,817– 4,450 mm (Outside turning radius) • Wheelbase 2,000– 2,900 mm (Distance between front/rear axles) • Ground Clearance 160–265 mm (Under mast/chassis) • Fork Dimensions (L×W×T) 1,070×150×50 mm (Standard fork size) •
<p>58. Folding Nose Trolley- Large-Capacity 180kg</p> <p>Quantity: 20</p>	<ul style="list-style-type: none"> • Industrial steel trolley • Load capacity: 180 kg 	<ul style="list-style-type: none"> • 1130 (H) x 650 (W) x 600 (L) mm
<p>59. Stock picking trolley- 2 shelf-Galvanised- 240 kg</p> <p>Quantity: 20</p>	<ul style="list-style-type: none"> • Load capacity: 240 kg • Complete with 2 shelves 	<ul style="list-style-type: none"> • 1100(L) x 610 (W) x 110 (H) mm